





JPT

Manufacturers of Fine Quality
Diamond Dressing Tools, PCD Tools
(www.jainprecisiontools.com)

<p>AC</p>  <table border="1"> <tr> <td>Nose Angle</td> <td>60°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>	Nose Angle	60°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	<table border="1"> <thead> <tr> <th>Order No.</th> <th>Shank Dimension in mm</th> <th>Cutting edge ht. h in mm</th> </tr> </thead> <tbody> <tr><td>ARC - 6</td><td>6 x 6 x 50</td><td>6</td></tr> <tr><td>ARC - 8</td><td>8 x 8 x 65</td><td>8</td></tr> <tr><td>ARC - 10</td><td>10 x 10 x 70</td><td>10</td></tr> <tr><td>ARC - 12</td><td>12 x 12 x 85</td><td>12</td></tr> <tr><td>ARC - 16</td><td>16 x 16 x 100</td><td>16</td></tr> <tr><td>ARC - 20</td><td>20 x 20 x 125</td><td>20</td></tr> <tr><td>ARC - 25</td><td>25 x 25 x 150</td><td>25</td></tr> </tbody> </table>	Order No.	Shank Dimension in mm	Cutting edge ht. h in mm	ARC - 6	6 x 6 x 50	6	ARC - 8	8 x 8 x 65	8	ARC - 10	10 x 10 x 70	10	ARC - 12	12 x 12 x 85	12	ARC - 16	16 x 16 x 100	16	ARC - 20	20 x 20 x 125	20	ARC - 25	25 x 25 x 150	25
Nose Angle	60°																														
Tool Nose Radius	0.4 & 0.8																														
Width of cutting edge-a	4.5, 6.2																														
Order No.	Shank Dimension in mm	Cutting edge ht. h in mm																													
ARC - 6	6 x 6 x 50	6																													
ARC - 8	8 x 8 x 65	8																													
ARC - 10	10 x 10 x 70	10																													
ARC - 12	12 x 12 x 85	12																													
ARC - 16	16 x 16 x 100	16																													
ARC - 20	20 x 20 x 125	20																													
ARC - 25	25 x 25 x 150	25																													
<p>AD</p>  <table border="1"> <tr> <td>Nose Angle</td> <td>82°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>	Nose Angle	82°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	<table border="1"> <thead> <tr> <th>Order No.</th> <th>Shank Dimension in mm</th> <th>Cutting edge ht. h in mm</th> </tr> </thead> <tbody> <tr><td>ARD - 6</td><td>6 x 6 x 50</td><td>6</td></tr> <tr><td>ARD - 8</td><td>8 x 8 x 65</td><td>8</td></tr> <tr><td>ARD - 10</td><td>10 x 10 x 70</td><td>10</td></tr> <tr><td>ARD - 12</td><td>12 x 12 x 85</td><td>12</td></tr> <tr><td>ARD - 16</td><td>16 x 16 x 100</td><td>16</td></tr> <tr><td>ARD - 20</td><td>20 x 20 x 125</td><td>20</td></tr> <tr><td>ARD - 25</td><td>25 x 25 x 150</td><td>25</td></tr> </tbody> </table>	Order No.	Shank Dimension in mm	Cutting edge ht. h in mm	ARD - 6	6 x 6 x 50	6	ARD - 8	8 x 8 x 65	8	ARD - 10	10 x 10 x 70	10	ARD - 12	12 x 12 x 85	12	ARD - 16	16 x 16 x 100	16	ARD - 20	20 x 20 x 125	20	ARD - 25	25 x 25 x 150	25
Nose Angle	82°																														
Tool Nose Radius	0.4 & 0.8																														
Width of cutting edge-a	4.5, 6.2																														
Order No.	Shank Dimension in mm	Cutting edge ht. h in mm																													
ARD - 6	6 x 6 x 50	6																													
ARD - 8	8 x 8 x 65	8																													
ARD - 10	10 x 10 x 70	10																													
ARD - 12	12 x 12 x 85	12																													
ARD - 16	16 x 16 x 100	16																													
ARD - 20	20 x 20 x 125	20																													
ARD - 25	25 x 25 x 150	25																													
<p>AS</p>  <table border="1"> <tr> <td>Nose Angle</td> <td>90°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>	Nose Angle	90°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	<table border="1"> <thead> <tr> <th>Order No.</th> <th>Shank Dimension in mm</th> <th>Cutting edge ht. h in mm</th> </tr> </thead> <tbody> <tr><td>ARS - 6</td><td>6 x 6 x 50</td><td>6</td></tr> <tr><td>ARS - 8</td><td>8 x 8 x 65</td><td>8</td></tr> <tr><td>ARS - 10</td><td>10 x 10 x 70</td><td>10</td></tr> <tr><td>ARS - 12</td><td>12 x 12 x 85</td><td>12</td></tr> <tr><td>ARS - 16</td><td>16 x 16 x 100</td><td>16</td></tr> <tr><td>ARS - 20</td><td>20 x 20 x 125</td><td>20</td></tr> <tr><td>ARS - 25</td><td>25 x 25 x 150</td><td>25</td></tr> </tbody> </table>	Order No.	Shank Dimension in mm	Cutting edge ht. h in mm	ARS - 6	6 x 6 x 50	6	ARS - 8	8 x 8 x 65	8	ARS - 10	10 x 10 x 70	10	ARS - 12	12 x 12 x 85	12	ARS - 16	16 x 16 x 100	16	ARS - 20	20 x 20 x 125	20	ARS - 25	25 x 25 x 150	25
Nose Angle	90°																														
Tool Nose Radius	0.4 & 0.8																														
Width of cutting edge-a	4.5, 6.2																														
Order No.	Shank Dimension in mm	Cutting edge ht. h in mm																													
ARS - 6	6 x 6 x 50	6																													
ARS - 8	8 x 8 x 65	8																													
ARS - 10	10 x 10 x 70	10																													
ARS - 12	12 x 12 x 85	12																													
ARS - 16	16 x 16 x 100	16																													
ARS - 20	20 x 20 x 125	20																													
ARS - 25	25 x 25 x 150	25																													
<p>BS</p>  <table border="1"> <tr> <td>Nose Angle</td> <td>90°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> </table>	Nose Angle	90°	Tool Nose Radius	0.4 & 0.8	<table border="1"> <thead> <tr> <th>Order No.</th> <th>Shank Dimension in mm</th> <th>Cutting edge ht. h in mm</th> </tr> </thead> <tbody> <tr><td>BRS - 6</td><td>6 x 6 x 50</td><td>6</td></tr> <tr><td>BRS - 8</td><td>8 x 8 x 65</td><td>8</td></tr> <tr><td>BRS - 10</td><td>10 x 10 x 70</td><td>10</td></tr> </tbody> </table>	Order No.	Shank Dimension in mm	Cutting edge ht. h in mm	BRS - 6	6 x 6 x 50	6	BRS - 8	8 x 8 x 65	8	BRS - 10	10 x 10 x 70	10														
Nose Angle	90°																														
Tool Nose Radius	0.4 & 0.8																														
Order No.	Shank Dimension in mm	Cutting edge ht. h in mm																													
BRS - 6	6 x 6 x 50	6																													
BRS - 8	8 x 8 x 65	8																													
BRS - 10	10 x 10 x 70	10																													

Jain Precision Tools

Regd. Office & Factory: J-14,MIDC Area , Chikalthana, Aurangabad -431006 (M.S). India

Phone No: +91-240-2482841, 2485643, 2470029,2337176,2330757 Mobile : 98220 43746




Fax No: +91-240-2474491

Email : jaintools@rediffmail.com , reponse@jainprecisiontools.com .

Website :www.jainprecisiontools.com

JPT

Manufacturers of Fine Quality
Diamond Dressing Tools, PCD Tools
(www.jainprecisiontools.com)

Width of cutting edge-a	4.5, 6.2	BRS - 12	12 x 12 x 85	12
		BRS - 16	16 x 16 x 100	16
		BRS - 20	20 x 20 x 125	20
		BRS - 25	25 x 25 x 150	25
DS 		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm
Nose Angle	90°	DS - 6	6 x 6 x 50	6
Tool Nose Radius	0.4 & 0.8	DS - 8	8 x 8 x 65	8
Width of cutting edge-a	4.5, 6.2	DS - 10	10 x 10 x 70	10
		DS - 12	12 x 12 x 85	12
		DS - 16	16 x 16 x 100	16
		DS - 20	20 x 20 x 125	20
		DS - 25	25 x 25 x 150	25
ES 		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm
Nose Angle	60°	ES - 6	6 x 6 x 50	6
Tool Nose Radius	0.4 & 0.8	ES - 8	8 x 8 x 65	8
Width of cutting edge-a	4.5, 6.2	EC - 10	10 x 10 x 70	10
		EC - 12	12 x 12 x 85	12
		EC - 16	16 x 16 x 100	16
		EC - 20	20 x 20 x 125	20
		EC - 25	25 x 25 x 150	25
BRD 		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm
Nose Angle	90°	BRD - 6	6 x 40	3.5
Tool Nose Radius	0.4 & 0.8	BRD - 8	8 x 50	4.5
Width of cutting edge-a	4.5, 6.2	BRD - 10	10 x 80	5.5
		BRD - 12	12 x 100	6.5
		BRD - 16	16 x 120	8.5
		BRD - 20	20 x 140	10.5

Jain Precision Tools

Regd. Office & Factory.: J-14,MIDC Area , Chikalthana, Aurangabad -431006 (M.S). India

Phone No: +91-240-2482841, 2485643, 2470029,2337176,2330757 Mobile : 98220 43746


Fax No: +91-240-2474491


Email : jaintools@rediffmail.com , reponse@jainprecisiontools.com .


Website :www.jainprecisiontools.com

JPT

Manufacturers of Fine Quality
Diamond Dressing Tools, PCD Tools
(www.jainprecisiontools.com)

BMT		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre
		BMT - 8	8 x 125	4.5
Nose Angle	83°	BMT - 10	10 x 150	5.5
Tool Nose Radius	0.4 & 0.8	BMT - 12	12 x 175	6.5
Width of cutting edge-a	4.5, 6.2	BMT - 16	16 x 200	8.5
		BMT - 20	20 x 225	10.5
		BMT - 25	25 x 250	13

BMU		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre
		BMT - 8	8 x 125	4.5
Nose Angle	60°	BMT - 10	10 x 150	5.5
Tool Nose Radius	0.4 & 0.8	BMT - 12	12 x 175	6.5
Width of cutting edge-a	4.5, 6.2	BMT - 16	16 x 200	10.5
		BMT - 20	20 x 225	10.5
		BMT - 25	25 x 250	13

BBC		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre
		BBC - 3	3 x 10	2
Nose Angle	85°	BBC - 4	4 x 12	2.5
Tool Nose Radius	0.4 & 0.8	BBC - 5	5 x 15	3
Width of cutting edge-a	4.5, 6.2	BBC - 6	6 x 20	3.5
		BBC - 8	8 x 35	4.5
		BBC - 10	10 x 40	5.5
		BBC - 12	12 x 50	6.5

Jain Precision Tools

Regd. Office & Factory: J-14,MIDC Area , Chikalthana, Aurangabad -431006 (M.S). India

Phone No: +91-240-2482841, 2485643, 2470029,2337176,2330757 Mobile : 98220 43746


Fax No: +91-240-2474491


Email : jaintools@rediffmail.com , reponse@jainprecisiontools.com .


Website :www.jainprecisiontools.com

JPT

Manufacturers of Fine Quality
Diamond Dressing Tools, PCD Tools
(www.jainprecisiontools.com)

BAS		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre						
		BAS - 4	4 x 4 x 12	2.5						
<table border="1"> <tr> <td>Nose Angle</td> <td>60° & 90°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>		Nose Angle	60° & 90°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	BAS - 5	5 x 5 x 15	3.0
Nose Angle	60° & 90°									
Tool Nose Radius	0.4 & 0.8									
Width of cutting edge-a	4.5, 6.2									
		BAS - 6	6 x 6 x 20	3.5						
		BAS - 8	8 x 8 x 25	4.5						
		BBC - 10	10 x 10 x 40	5.5						
		BBC - 12	12 x 12 x 50	6.5						

BAR		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre						
		BAR - 3	3 x 10	2.0						
<table border="1"> <tr> <td>Nose Angle</td> <td>60° & 90°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>		Nose Angle	60° & 90°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	BAR - 4	4 x 12	2.5
Nose Angle	60° & 90°									
Tool Nose Radius	0.4 & 0.8									
Width of cutting edge-a	4.5, 6.2									
		BAR - 5	5 x 15	3.0						
		BAR - 6	6 x 20	3.5						
		BAR - 8	8 x 25	4.5						
		BAR - 10	10 x 40	5.5						
		BAR - 12	12 x 50	6.5						

BBE		Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre						
		BBE - 3	3 x 12	2						
<table border="1"> <tr> <td>Nose Angle</td> <td>85°</td> </tr> <tr> <td>Tool Nose Radius</td> <td>0.4 & 0.8</td> </tr> <tr> <td>Width of cutting edge-a</td> <td>4.5, 6.2</td> </tr> </table>		Nose Angle	85°	Tool Nose Radius	0.4 & 0.8	Width of cutting edge-a	4.5, 6.2	BBE - 4	4 x 14	2.5
Nose Angle	85°									
Tool Nose Radius	0.4 & 0.8									
Width of cutting edge-a	4.5, 6.2									
		BBE - 5	5 x 16	3						
		BBE - 6	6 x 20	3.5						
		BBE - 8	8 x 35	4.5						
		BBE - 10	10 x 40	5.5						
		BBE - 12	12 x 50	6.5						

Jain Precision Tools

Regd. Office & Factory: J-14,MIDC Area , Chikalthana, Aurangabad -431006 (M.S). India

Phone No: +91-240-2482841, 2485643, 2470029,2337176,2330757 Mobile : 98220 43746

Fax No: +91-240-2474491


Email : jaintools@rediffmail.com , reponse@jainprecisiontools.com .

Website :www.jainprecisiontools.com

JPT


Manufacturers of Fine Quality
Diamond Dressing Tools, PCD Tools
(www.jainprecisiontools.com)

SDT



Order No.	Shank Dimension in mm	Cutting edge ht. h in mm +0.5mm above centre
SDT - 4	4 x 50	2.5
SDT - 5	5 x 60	3.0
SDT - 6	6 x 70	3.5
SDT - 8	8 x 100	4.5
SDT - 10	10 x 120	5.5
SDT - 12	12 x 130	6.5

SDS



Order No.	Shank Dimension in mm			Cutting edge ht. h in mm +0.5mm above centre
	d	D	l	
SDS - 5	5	10	60	3.0
SDS - 6	6	10	60	3.5
SDS - 8	8	10	60	4.5
SDS - 10	10	12	70	5.5
SDS - 12	12	12	70	6.5

Jain Precision Tools

Regd. Office & Factory: J-14, MIDC Area, Chikalthana, Aurangabad -431006 (M.S). India

Phone No: +91-240-2482841, 2485643, 2470029, 2337176, 2330757 Mobile : 98220 43746

Fax No: +91-240-2474491

Email : jaintools@rediffmail.com , reponse@jainprecisiontools.com .

Website : www.jainprecisiontools.com